### Hydrochemical indicators of groundwater flow in the area of "Čukaru Peki" Cu-Au underground mine in eastern Serbia

Nebojša Atanacković, Vladimir Živanović, Jana Štrbački, Veselin Dragišić, Ivana Cvejić



#### Дигитални репозиторијум Рударско-геолошког факултета Универзитета у Београду

# [ДР РГФ]

Hydrochemical indicators of groundwater flow in the area of "Čukaru Peki" Cu-Au underground mine in eastern Serbia | Nebojša Atanacković, Vladimir Živanović, Jana Štrbački, Veselin Dragišić, Ivana Cvejić | 5th IAH CEG conference | 2022 | |

http://dr.rgf.bg.ac.rs/s/repo/item/0007044

Дигитални репозиторијум Рударско-геолошког факултета Универзитета у Београду омогућава приступ издањима Факултета и радовима запослених доступним у слободном приступу. - Претрага репозиторијума доступна је на www.dr.rgf.bg.ac.rs The Digital repository of The University of Belgrade Faculty of Mining and Geology archives faculty publications available in open access, as well as the employees' publications. - The Repository is available at: www.dr.rgf.bg.ac.rs





# 5-7 OCTOBER 2022 Rogaška Slatina, Slovenia



5<sup>th</sup> IAH CEG conference

5-7 october 2022, Rogaška Slatina, Slovenia

## "Making groundwater in the Danube region visible"

# **BOOK OF ABSTRACTS**

5<sup>th</sup> IAH CEG conference / Making groundwater in the Danube region visible Rogaška Slatina, Slovenia, 5-7 october 2022

#### Book of abstracts

Electronic edition © 2022, Slovenian Committee of International Association of Hydrogeologists - SKIAH, Ljubljana

https://www.geo-zs.si/IAHCEG2022/

Chief editor: Mihael Brenčič Editors: Mihael Brenčič, Petra Žvab Rožič, Anja Torkar

Graphic and technical design:

Polonadesign – Polona Šterk Košir, Alenka Šterk

Graphic design concept:

Eneja Kocjančič, Ivana Katarina Milinkovič, Nina Vene (within the course Typeface design, academic program Graphic and Interactive Communication, academic year 2020/2021, mentors Nace Pušnik, Gregor Franken)

#### Issued and published by:

Slovenian Committee of International Association of Hydrogeologists - SKIAH Represented by: Mihael Brenčič

All abstracts are peer-reviewed. Authors are responsible for the language and content of the abstracts.

Kataložni zapis o publikaciji (CIP) pripravili v Narodni in univerzitetni knjižnici v Ljubljani

<u>COBISS.SI</u>-ID <u>123685123</u>

ISBN 978-961-95960-0-5(PDF)

Congress organisers:

Slovenian Committee of International Association of Hydrogeologists (SKIAH) and Slovenian Geological Society



#### Organizing committee:

Barbara Čenčur Curk, Branka Bračič Železnik, Mihael Brenčič, Tea Hočevar, Klara Nagode, Urška Pavlič, Nina Rman, Luka Serianz, Martin Tilen Tancar, Anja Torkar, Petra Žvab Rožič

#### Head of scientific committee

Mihael Brenčič

#### Scientific committee:

Mihael Brenčič (Slovenia) Ralf Benischke (Austria) Steffen Birk (Austria) Barbara Čenčur Curk (Slovenia) Attilla Kovács (Hungary) Tamara Marković (Croatia) Vesna Ristić Vakanjac (Serbia) Zoran Stevanović (Serbia) Teodora Szőcs (Hungary) Josip Terzić (Croatia)



### Content

2021-22 HENRY DARCY LECTURE
Hydrogeochemistry in the 21 <sup>st</sup> century
ABSTRACTS
Geodiversity of Groundwater in the Danube Basin: a brief approach in the first International Geodiversity Day
North Algerian geothermal reservoirs temperature estimation by geology and chemistry methods
Distribution of thermal plumes from open-loop systems in the municipality of Murska Sobota
Hydrochemical indicators of groundwater flow in the area of "Čukaru Peki" Cu-Au underground mine in eastern Serbia
Building the 2D water flow model in the unsaturated zone of Zagreb aquifer in order to quantify aquifer recharge from precipitation 15 Laura Bačani, Kristijan Posavec, Barbara Čenčur Curk
Groundwater and geothermal resources in South America: Chile and Colombia overview
Emerging contaminants in the Ljubljana Basin: from monitoring to mitigation  17    Mihael Brenčič, Anja Torkar, Ines Vidmar, Mateja Jelovčan, Branka Bračič Železnik, Primož Auersperger, Jurij Trontelj, Robert Roškar
Vulnerability assessment of the upper aquifer to pollution: statistics and sensitivity analysis – a case study of Slovenia
Breaking the current recharge paradigm in Central Chile: a deep borehole for Andean groundwater flows estimation
The treated wastewater effluent impact on contamination of water supply aquifer during one decade of water exploitation (Tursko well field, Poland) 20 Krzysztof Dragon, Roksana Kruć-Fijałkowska, Magdalena Matusiak, Marcin Siepak, Dariusz Drożdżynski, Józef Górski
Monitoring and analysis of groundwater regime at the sources of the Novi Sad water supply system
Hydrogeology of a populated alpine research area affected by a creeping landslide in Sibratsgfäll, Austria
Open learning online school: a knowledge-sharing tool about geothermal and groundwater resources



#### 5<sup>th</sup> IAH CEG conference, 5-7 October 2022, Rogaška Slatina, Slovenia

Higher spatial resolution of groundwater levels in the Lower Savinja River Valley, Slovenia, in period 2020 - 2021
Why Geothermal? Analysis of Community Acceptance to Promote Energy Justice and Sustainable Development Strategies in Rural Argentina . 26 Jackson M. Grimes
Optimization of well field management to mitigate groundwater contamination in Brest Water Works (Central Slovenia)
Hydromorphological analysis of the Vipava River along the infiltration interval near Miren
Nitrate transport modelling in the Varaždin alluvial aquifer
The geothermal potential of Guelma region, East of Algeria
The use of groundwater modeling to design in-situ remediation schemes  31    Gernot Klammler, Hans Kupfersberger, Albrecht Leis
Review of the karst water level monitoring wells in the Transdanubian Medium Mountains
Using stable isotopes to identify groundwater flow regime in Urbas landslide area (NW Slovenia)
A combined stochastic-analytical approach to the prediction of climate change impact on spring discharge
Soil water origin and dynamics in sloped vineyard, SUPREHILL project  35    Zoran Kovač, Vedran Krevh, Lana Filipović, Jasmina Defterdarović, Patricia Buškulić, Luka Han, Vilim Filipović
Hydrodynamic and heat transport model analysis of the South-East Hungary in the aspects of energy and pore space utilization
Using groundwater model results to derive the distribution of extreme groundwater levels
Coupling of a saturated zone model with external vadose zone models to simulate land use impacts on groundwater quality at the regional scale 38 Hans Kupfersberger, Gerhard Rock, Gernot Klammler, Janja Vrzel
Geothermal Conceptual and Numerical Modelling of a Gas-Condensate Field in the Eastern Llanos Basin, Colombia



#### 5<sup>th</sup> IAH CEG conference, 5-7 October 2022, Rogaška Slatina, Slovenia

Monitoring of thermal waters in Croatia - the chemical and quantity aspect: case study NW Croatia
Tamara Marković, Igor Karlović, Željka Sladović, Ozren Larva
Making real time groundwater flux measurements part of the equation: a case study in Damme (Belgium)
Jeroen November, Goedele Verreydt, Tim Op 't Eyndt, Marjan Joris
Absolute temperature reconstruction for the previous interglacial period (MIS5e) revealed by noble gases and <sup>81</sup> Kr dating of a deep groundwater
flow system
László Palcsu, Judit Orsovszki, Anikó Horváth, Zheng-Tian Lu, Marianna Túri
Droughtmeasure: Weekly groundwater drought assessment in Slovenia
Urška Pavlič, Petra Souvent
The influence of vadose zone characteristics on the solute transport in karst
Metka Petrič, Janja Kogovšek, Nataša Ravbar
Water Contingency Management in the Sava River Basin
Jerca Praprotnik Kastelic, Ajda Cilenšek, Matej Cerk, Anja Torkar, Barbara Čenčur Curk, Primož Banovec
Evaluation of deep geothermal resources in the St. Lawrance Lowlands using shallow thermal response tests
Jasmin Raymond, Madeline Chapelet, Félix-Antoine Comeau, Chrystel Dezayes
European Geothermal Fluid Atlas elaborated within the project REFLECT – the Slovenian contribution
Nina Rman
Vulnerability assessment of stratified transboundary aquifers using a multi-parameter geochemical approach – A case study of the Mura-Zala Basin 48
Nina Rman, Tamara Marković, Laszlo Palcsu, Polona Vreča, Urška Pavlič, Christoph Henrich, Oliver Kracht
Integrated stratigraphic investigation of a lignite bearing succession to support regional hydrogeological modelling
Teodóra Szöcs, Katalin Sári, Márton Bauer, Ágnes Kiss-Mezei, Tímea Fogarassy-Pummer, Éva Kun, György Tóth, Julianna Mekker, Lilla Taksz, Zoltán Püspöki
Hydrogeological conceptualization of Rižana spring karst system
Luka Serianz, Joerg Prestor
Karst springs of the SE Europe as important sources and geoheritage sites
Zoran Stevanović
Groundwater sampling for monitoring in less productive aquifers
Janja Svetina, Primož Auersperger, Joerg Prestor
Groundwater T/He dating as a tool in contaminant source detection – preliminary results
Groundwater T/He dating as a tool in contaminant source detection – preliminary results
Satellite-derived time series of Dinaric Karst aquifer water storage



The impact of temporal variability of groundwater levels on groundwater vulnerability maps in karst terrains - a case example of the Perućac spring
catchment area
Vladimir Živanović, Igor Jemcov, Nebojša Atanacković
Characterization of Žvepovnik spring – spring with an unpleasant smell in Savinja Valley
Index of authors



### Hydrochemical indicators of groundwater flow in the area of "Čukaru Peki" Cu-Au underground mine in eastern Serbia

#### Nebojša Atanacković, Vladimir Živanović, Jana Štrbački, Veselin Dragišić, Ivana Cvejić

University of Belgrade, Faculty of Mining and Geology, Djusina 7, 11000 Belgrade, Serbia (nebojsa.atanackovic@rgf.bg.ac.rs)

The physical and chemical properties of groundwater, together with the groundwater levels regime and rock hydraulic properties, are often used to understand and conceptualize the hydrogeological system. Prediction of the influence of mining works on groundwater, and vice versa, is a challenge due to significantly altered groundwater flow patterns in the raw materials exploitation areas in relation to natural conditions. Therefore, multiple parameters are assessed and monitored before and during exploitation to properly characterize and quantify the system for assessing groundwater inflows-dewatering needs, environmental impacts, and water balance. In the present study, a set of 200 groundwater quality analyses are used to determine the main water types and delineate characteristic parameters for tracing the groundwater origin and flow in the area of the Čukaru Peki mine.

The "Čukaru Peki" is a world-class copper and gold deposit discovered in 2012 in the vicinity of the "Bor" mining complex in eastern Serbia. The deposit consists of two major zones, the Upper massive sulphide zone and the Lower porphyry zone, at the depths from 400 to more than 2300 m below ground surface. The ore bodies are hosted in the Upper Cretaceous (UC) andesite and volcanoclastic, overlain by the UC and Miocene age clastic cover, with multiple faults identified in the area. The exploitation began in 2021, following the development of the main ore access infrastructure (twin decline and two shafts). The groundwater samples were collected before commencement and during the exploitation. The samples from UC and Miocene clastic sediments are pH neutral, low mineralization,  $Ca^{2+}$ -HCO<sub>3</sub><sup>-</sup> swater. Samples from the volcanic rocks show considerable variations depending on the location and depth of sampling. Evolution in chemical composition from  $Ca^{2+}$ -Mg<sup>2+</sup>-HCO<sub>3</sub><sup>-</sup>-SO<sub>4</sub><sup>-2-</sup> type in "fresh" andesite toward Na<sup>+</sup>-SO<sub>4</sub><sup>-2-</sup>-HCO<sub>3</sub><sup>-</sup> water in altered andesite is identified. Further analysis included the application of multivariant statistical methods (namely Hierarchical Cluster Analysis and Discriminant Analysis) to delineate characteristic parameters and grouping of the samples. Ultimately, distinguished parameters are used for determining the origin of groundwater collected from underground adits and shafts.

The research demonstrated the application of statistical methods to a set of groundwater quality parameters for tracing the origin of inflows into underground mining works.

Key words:

mine water, hydrogeology, multivariant statistics, groundwater inflow, water quality

#### References:

Kpegli, K.A.R., Alassane, A., van der Zee, S.E.A.T.M., Boukari, M., Mama, D., 2018: Development of a conceptual groundwater flow model using a combined hydrogeological, hydrochemical and isotopic approach: a case study from southern Benin. Journal of hydrology, 18: 50–67. Velojić, M., Jelenkovic, R., Cvetkovic, V. 2020: Fluid evolution of the Čukaru Peki Cu-Au porphyry system (East Serbia)

Velojić, M., Jelenković, R., Gvetković, V. 2020: Fluid evolution of the Cukaru Peki Cu-Au porphyry system (East Serbia inferred from a fluid inclusion study. Geologia Croatica, 73/3: 197-209. https://doi.org/10.4154/gc.2020.14